

ADPedKD: A Global Online Platform on the Management of Children With ADPKD.

De Rechter, S ; Bockenhauer, D ; Guay-Woodford, LM ; Liu, I ; Mallett, AJ ; Soliman, NA & al
Kidney Int Rep.2019.doi:10.1016/j.ekir.2019.05.015.31517146

Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France.

Prot-Bertoye, C ; Lebbah, S ; Daudon, M ; Tostivint, I ; Jais, JP ; Lillo-Le Louët, A & al
BJU Int.2019.doi:10.1111/bju.14721.30801923

APOL1 risk genotype in Europe: Data in patients with focal segmental glomerulosclerosis and after renal transplantation.

Servais, A ; Gribouval, O ; Gaillard, F ; Antignac, C
Nephrol Ther.2019.doi:10.1016/j.nephro.2019.02.005.30981401

APOL1 risk genotype in European steroid-resistant nephrotic syndrome and/or focal segmental glomerulosclerosis patients of different African ancestries.

Gribouval, O ; Boyer, O ; Knebelmann, B ; Karras, A ; Dantal, J ; Fourrage, C & al
Nephrol Dial Transplant.2019.doi:10.1093/ndt/gfy176.29992269

Current management of transition of young people affected by rare renal conditions in the ERKNet.

Kreuzer, M ; Drube, J ; Prüfe, J ; Schaefer, F ; Pape, L
Eur J Hum Genet.2019.doi:10.1038/s41431-019-0460-z.31363187

Defects in t⁶A tRNA modification due to GON7 and YRDC mutations lead to Galloway-Mowat syndrome.

Arrondel, C ; Missouri, S ; Snoek, R ; Patat, J ; Menara, G ; Collinet, B & al
Nat Commun.2019.doi:10.1038/s41467-019-11951-x.31481669

Early Bayesian Dose Adjustment of Vancomycin Continuous Infusion in Children: a Randomized Controlled Trial.

Berthaud, R ; Benaboud, S ; Hirt, D ; Genuini, M ; Oualha, M ; Castelle, M & al
Antimicrob Agents Chemother.2019.doi:10.1128/AAC.01102-19.31591117

Effects of Hemodiafiltration versus Conventional Hemodialysis in Children with ESKD: The HDF, Heart and Height Study.

Shroff, R ; Smith, C ; Ranchin, B ; Bayazit, AK ; Stefanidis, CJ ; Askiti, V & al
J Am Soc Nephrol.2019.doi:10.1681/ASN.2018100990.30846560

Five-year outcome of children with idiopathic nephrotic syndrome: the NEPHROVIR population-based cohort study.

Dossier, C ; Delbet, JD ; Boyer, O ; Daoud, P ; Mesples, B ; Pellegrino, B & al
Pediatr Nephrol.2019.doi:10.1007/s00467-018-4149-2.30552564

Global Variation of Nutritional Status in Children Undergoing Chronic Peritoneal Dialysis: A Longitudinal Study of the International Pediatric Peritoneal Dialysis Network.

Schaefer, F ; Benner, L ; Borzych-Dużałka, D ; Zaritsky, J ; Xu, H ; Rees, L & al
Sci Rep.2019.doi:10.1038/s41598-018-36975-z.30894599

Impact of hypertensive emergency and rare complement variants on the presentation and outcome of atypical hemolytic uremic syndrome.

El Karoui, K ; Boudhabhay, I ; Petitprez, F ; Vieira-Martins, P ; Fakhouri, F ; Zuber, J & al
Haematologica.2019.doi:10.3324/haematol.2019.216903.30890598

Influenza vaccination among children with idiopathic nephrotic syndrome: an investigation of practices.

Klifa, R ; Toubiana, J ; Michel, A ; Biebuyck, N ; Charbit, M ; Heidet, L & al
BMC Nephrol.2019.doi:10.1186/s12882-019-1240-2.30803442

Interaction between galectin-3 and cystinosin uncovers a pathogenic role of inflammation

Lobry, T ; Miller, R ; Nevo, N ; Rocca, CJ ; Zhang, J ; Catz, SD & al
in kidney involvement of cystinosis.Kidney Int.2019.doi:10.1016/j.kint.2019.01.029.30928021

Kidney Transplant Outcomes in Patients with Adenine Phosphoribosyltransferase Deficiency.

Runolfsdottir, HL ; Palsson, R ; Agustsdottir, IMS ; Indridason, OS ; Li, J ; Dao, M & al
Transplantation.2019.doi:10.1097/TP.0000000000003088.31880754

Left lateral retroperitoneoscopic total nephrectomy of a horseshoe kidney in a 3-year-old boy.

Lottmann, H ; Pio, L ; Heloury, Y ; Boyer, O ; Aigrain, Y ; Blanc, T
J Pediatr Urol.2019.doi:10.1016/j.jpuro.2019.07.026.31477414

mTOR inhibitors may benefit kidney transplant recipients with mitochondrial diseases.

Johnson, SC ; Martinez, F ; Bitto, A ; Gonzalez, B ; Tazaerslan, C ; Cohen, C & al
Kidney Int.2019.doi:10.1016/j.kint.2018.08.038.30471880

Nephrotic syndrome and mitochondrial disorders: answers.

Bernardor, J ; Faudeux, C ; Chaussonot, A ; Antignac, C ; Goldenberg, A ; Gubler, MC & al
Pediatr Nephrol.2019.doi:10.1007/s00467-019-04217-7.30863911

Protection of Cystinotic Mice by Kidney-Specific Megalin Ablation Supports an Endocytosis-Based Mechanism for Nephropathic Cystinosis Progression.

Janssens, V ; Gaide Chevronnay, HP ; Marie, S ; Vincent, MF ; Van Der Smissen, P ; Nevo, N & al
J Am Soc Nephrol.2019.doi:10.1681/ASN.2019040371.31548351

Pulmonary hypertension in an adolescent with end-stage-renal disease-a diagnostic challenge: Answers.

Hogan, J ; Salomon, R ; Krid, S ; Bonnet, D ; Legendre, A
Pediatr Nephrol.2019.doi:10.1007/s00467-018-3939-x.29532236

Quality of life in adolescents with chronic kidney disease who initiate haemodialysis treatment.

Clavé, S ; Tsimaratos, M ; Boucekine, M ; Ranchin, B ; Salomon, R ; Dunand, O & al
BMC Nephrol.2019.doi:10.1186/s12882-019-1365-3.31088395

Renal tubular dysgenesis and microcolon, a novel association. Report of three cases.

Saskin, A ; Alfares, A ; Bernard, C ; Blumenkrantz, M ; Braverman, N ; Gupta, I & al
Eur J Med Genet.2019.doi:10.1016/j.ejmg.2018.07.024.30071301

Screening for Intracranial Aneurysms in Patients with Autosomal Dominant Polycystic Kidney Disease.

Flahault, A ; Joly, D
Clin J Am Soc Nephrol.2019.doi:10.2215/CJN.02100219.31217168

Social deprivation is associated with poor kidney transplantation outcome in children.

Driollet, B ; Bayer, F ; Chatelet, V ; Macher, MA ; Salomon, R ; Ranchin, B & al
Kidney Int.2019.doi:10.1016/j.kint.2019.05.011.31375259

TBC1D8B Loss-of-Function Mutations Lead to X-Linked Nephrotic Syndrome via Defective Trafficking Pathways.

Dorval, G ; Kuzmuk, V ; Gribouval, O ; Welsh, GI ; Bierzynska, A ; Schmitt, A & al
Am J Hum Genet.2019.doi:10.1016/j.ajhg.2018.12.016.30661770

Treatment and long-term outcome in primary distal renal tubular acidosis.

Lopez-Garcia, SC ; Emma, F ; Walsh, SB ; Fila, M ; Hooman, N ; Zaniew, M & al
Nephrol Dial Transplant.2019.doi:10.1093/ndt/gfy409.30773598

Treatment and outcome of congenital nephrotic syndrome.

Bérody, S ; Heidet, L ; Gribouval, O ; Harambat, J ; Niaudet, P ; Baudouin, V & al
Nephrol Dial Transplant.2019.doi:10.1093/ndt/gfy015.29474669

Uremic Toxin Concentrations are Related to Residual Kidney Function in the Pediatric Hemodialysis Population.

Snauwaert, E ; Holvoet, E ; Van Biesen, W ; Raes, A ; Glorieux, G ; Vande Walle, J & al
Toxins (Basel).2019.doi:10.3390/toxins11040235.31022857

Urokinase-type plasminogen activator contributes to amiloride-sensitive sodium retention in nephrotic range glomerular proteinuria in mice.

Hinrichs, GR ; Weyer, K ; Friis, UG ; Svenningsen, P ; Lund, IK ; Nielsen, R & al
Acta Physiol (Oxf).2019.doi:10.1111/apha.13362.31423748

Use of Highly Individualized Complement Blockade Has Revolutionized Clinical Outcomes after Kidney Transplantation and Renal Epidemiology of Atypical Hemolytic Uremic Syndrome.

Zuber, J ; Frimat, M ; Caillard, S ; Kamar, N ; Gatault, P ; Petitprez, F & al
J Am Soc Nephrol.2019.doi:10.1681/ASN.2019040331.31575699

Vascular access in children requiring maintenance haemodialysis: a consensus document by the European Society for Paediatric Nephrology Dialysis Working Group.

Shroff, R ; Calder, F ; Bakkaloğlu, S ; Nagler, EV ; Stuart, S ; Stronach, L & al
Nephrol Dial Transplant.2019.doi:10.1093/ndt/gfz011.30859187

Whole exome sequencing resolves complex phenotype and identifies CC2D2A mutations underlying non-syndromic rod-cone dystrophy.

Méjécase, C ; Hummel, A ; Mohand-Saïd, S ; Andrieu, C ; El Shamieh, S ; Antonio, A & al
Clin Genet.2019.doi:10.1111/cge.13453.30267408