

[Vaccine recommendations for children with idiopathic nephrotic syndrome].

Boyer, O ; Baudouin, V ; Bérard, É ; Biebuyck-Gougé, N ; Dossier, C ; Guignonis, V & al
Nephrol Ther.2020.doi:10.1016/j.nephro.2019.09.007.32278737

<i>COQ6</i> mutation in patients with nephrotic syndrome, sensorineural deafness, and optic atrophy.

Justine Perrin, R ; Rousset-Rouvière, C ; Garaix, F ; Cano, A ; Conrath, J ; Boyer, O & al
JIMD Rep.2020.doi:10.1002/jmd2.12068.32685349

1-Methyluric Acid Nephropathy.

Zaworski, J ; Boudierlique, E ; Anglicheau, D ; Duong Van Huyen, JP ; Gnemmi, V ; Gibier, JB & al
Kidney Int Rep.2020.doi:10.1016/j.ekir.2020.02.1026.32405596

AA amyloidosis associated with Fabry disease.

Terré, A ; Knebelmann, B ; Buob, D ; Rabant, M ; Lidove, O ; Deshayes, S & al
Int J Clin Pract.2020.doi:10.1111/ijcp.13577.32515527

AA amyloidosis revealing mevalonate kinase deficiency: A report of 20 cases including two new French cases and a comprehensive review of literature.

Rodrigues, F ; Philit, JB ; Giurgea, I ; Anglicheau, D ; Roux, JJ ; Hoyeau, N & al
Semin Arthritis Rheum. 2020 Dec;50(6):1370-1373. PMID: 32252977 DOI:
10.1016/j.semarthrit.2020.03.005

An extension of the RITUX-ERAH study, multicenter randomized clinical trial comparing rituximab to placebo in acute antibody-mediated rejection after renal transplantation.

Bailly, E ; Ville, S ; Blanche, G ; Morelon, E ; Bamoulid, J ; Caillard, S & al
Transpl Int.2020.doi:10.1111/tri.13613.32279367

An initial report from the French SOT COVID Registry suggests high mortality due to COVID-19 in recipients of kidney transplants.

Caillard, S ; Anglicheau, D ; Matignon, M ; Durrbach, A ; Greze, C ; Frimat, L & al
Kidney Int.2020.doi:10.1016/j.kint.2020.08.005.32853631

An international cohort study of autosomal dominant tubulointerstitial kidney disease due to REN mutations identifies distinct clinical subtypes.

Živná, M ; Kidd, K ; Zaidan, M ; Vyletal, P ; Barešová, V ; Hodaňová, K & al
Kidney Int.2020.doi:10.1016/j.kint.2020.06.041.32750457

Antibody-mediated rejection with and without donor-specific anti-human leucocyte antigen antibodies: performance of the peripheral blood 8-gene expression assay.

Van Loon, E ; Lerut, E ; de Loor, H ; Kuypers, D ; Emonds, MP ; Anglicheau, D & al
Nephrol Dial Transplant.2020.doi:10.1093/ndt/gfaa096.32594133

Association between 25(OH) vitamin D and graft survival in renal transplanted children.

Mosca, M ; Lion-Lambert, M ; Bienaimé, F ; Berthaud, R ; Dorval, G ; Garcelon, N & al

Pediatr Transplant.2020.doi:10.1111/ptr.13809.32845557

Association of blood bicarbonate and pH with mineral metabolism disturbance and outcome after kidney transplantation.

Brazier, F ; Jouffroy, J ; Martinez, F ; Nguyen-Khoa, T ; Anglicheau, D ; Legendre, C & al

Am J Transplant.2020.doi:10.1111/ajt.15686.31680427

Bi-allelic mutations in renin-angiotensin system genes, associated with renal tubular dysgenesis, can also present as a progressive chronic kidney disease.

Fila, M ; Morinière, V ; Eckart, P ; Terzic, J ; Gubler, MC ; Antignac, C & al

Pediatr Nephrol.2020.doi:10.1007/s00467-020-04524-4.32198635

Central nervous system complications in adult cystinosis patients.

Servais, A ; Saitovitch, A ; Hummel, A ; Boisgontier, J ; Scemla, A ; Sberro-Soussan, R & al

J Inher Metab Dis.2020.doi:10.1002/jimd.12164.31444911

Clinical and histological differences between adults and children in new onset IgA nephropathy.

Cambier, A ; Rabant, M ; El Karoui, K ; Peuchmaur, M ; Servais, A ; Hertig, A & al

Pediatr Nephrol.2020.doi:10.1007/s00467-020-04614-3.32444925

Clinicopathologic features of infection-related glomerulonephritis with IgA deposits: a French Nationwide study.

Miquelestorena-Standley, E ; Jaulerry, C ; Machet, MC ; Rabot, N ; Barbet, C ; Hummel, A & al

Diagn Pathol.2020.doi:10.1186/s13000-020-00980-6.32460869

Common risk variants in NPHS1 and TNFSF15 are associated with childhood steroid-sensitive nephrotic syndrome.

Jia, X ; Yamamura, T ; Gbadegesin, R ; McNulty, MT ; Song, K ; Nagano, C & al

Kidney Int.2020.doi:10.1016/j.kint.2020.05.029.32554042

Comparison of machine perfusion versus cold storage in kidney transplant recipients from expanded criteria donors: a cohort-based study.

Foucher, Y ; Fournier, MC ; Legendre, C ; Morelon, E ; Buron, F ; Girerd, S & al

Nephrol Dial Transplant.2020.doi:10.1093/ndt/gfz175.32516809

Congenital nephrotic syndrome: is early aggressive treatment needed?-No.

Boyer, O ; Bérody, S

Pediatr Nephrol.2020.doi:10.1007/s00467-020-04556-w.32462257

Deciphering the Prognostic and Predictive Value of Urinary CXCL10 in Kidney Recipients With BK Virus Reactivation.

Tinel, C ; Vermorel, A ; Picciotto, D ; Morin, L ; Devresse, A ; Sauvaget, V & al

Front Immunol.2020.doi:10.3389/fimmu.2020.604353.33362789

Development and validation of an optimized integrative model using urinary chemokines for noninvasive diagnosis of acute allograft rejection.

Tinel, C ; Devresse, A ; Vermorel, A ; Sauvaget, V ; Marx, D ; Avettand-Fenoel, V & al

Am J Transplant.2020.doi:10.1111/ajt.15959.32342614

Developmental Renal Glomerular Defects at the Origin of Glomerulocystic Disease.

Fiorentino, A ; Christophorou, A ; Massa, F ; Garbay, S ; Chiral, M ; Ramsing, M & al
Cell Rep.2020.doi:10.1016/j.celrep.2020.108304.33113370

Diagnosis support systems for rare diseases: a scoping review.

Faviez, C ; Chen, X ; Garcelon, N ; Neuraz, A ; Knebelmann, B ; Salomon, R & al
Orphanet J Rare Dis.2020.doi:10.1186/s13023-020-01374-z.32299466

Diagnostic yield of ¹⁸F-FDG PET/CT imaging and urinary CXCL9/creatinine levels in kidney allograft subclinical rejection.

Hanssen, O ; Weekers, L ; Lovinfosse, P ; Jadoul, A ; Bonvoisin, C ; Bouquegneau, A & al
Am J Transplant.2020.doi:10.1111/ajt.15742.31841263

Donor-targeted serotherapy as a rescue therapy for steroid-resistant acute GVHD after HLA-mismatched kidney transplantation.

Zuber, J ; Boyer, O ; Neven, B ; Jollet, I ; Renac, V ; Berthaud, R & al
Am J Transplant.2020.doi:10.1111/ajt.15827.32065452

Efficacy and Safety of Direct Oral Anticoagulants in Kidney Transplantation: A Single-center Pilot Experience.

Leon, J ; Sabbah, L ; Aubert, O ; Anglicheau, D ; Delavenne, X ; Zuber, J & al
Transplantation.2020.doi:10.1097/TP.0000000000003168.32044892

Electronic health records for the diagnosis of rare diseases.

Garcelon, N ; Burgun, A ; Salomon, R ; Neuraz,
A Kidney Int.2020.doi:10.1016/j.kint.2019.11.037.32111372

Erratum.

Dorval, G ; Servais, A ; Boyer, O
Nephrol Dial Transplant.2020.doi:10.1093/ndt/gfaa325.33351149

Extracorporeal membrane oxygenation for refractory COVID-19 acute respiratory distress syndrome.

Le Breton, C ; Besset, S ; Freitas-Ramos, S ; Amouretti, M ; Billiet, PA ; Dao, M & al
J Crit Care.2020.doi:10.1016/j.jcrr.2020.07.013.32731100

Fetal Cystoscopy and Vesicoamniotic Shunting in Lower Urinary Tract Obstruction: Long-Term Outcome and Current Technical Limitations.

Fetal Diagn Vinit, N ; Gueneuc, A ; Bessières, B ; Dreux, S ; Heidet, L ; Salomon, R & al
Ther.2020.doi:10.1159/000500569.31401627

French recommendations for the management of systemic necrotizing vasculitides (polyarteritis nodosa and ANCA-associated vasculitides).

Terrier, B ; Darbon, R ; Durel, CA ; Hachulla, E ; Karras, A ; Maillard, H & al
Orphanet J Rare Dis.2020.doi:10.1186/s13023-020-01621-3.33372616

Generation of an induced pluripotent stem cell (iPSC) line (IMAGINi007) from a patient with steroid-resistant nephrotic syndrome carrying the homozygous p.R138Q mutation in the podocin-encoding NPHS2 gene.

Menara, G ; Lefort, N ; Antignac, C ; Mollet, G

Stem Cell Res.2020.doi:10.1016/j.scr.2020.101878.32585588

Genetic aspects of congenital nephrotic syndrome: a consensus statement from the ERKNet-ESPN inherited glomerulopathy working group.

Lipska-Ziętkiewicz, BS ; Ozaltin, F ; Hölttä, T ; Bockenbauer, D ; Bérody, S ; Levtchenko, E & al

Eur J Hum Genet.2020.doi:10.1038/s41431-020-0642-8.32467597

Global Transplantation COVID Report March

Ahn, C ; Amer, H ; Anglicheau, D ; Ascher, NL ; Baan, CC ; Battsetset, G & al

2020.Transplantation.2020.doi:10.1097/TP.0000000000003258.32243281

Histological prognostic factors in children with Henoch-Schönlein purpura nephritis.

Delbet, JD ; Geslain, G ; Auger, M ; Hogan, J ; Salomon, R ; Peuchmaur, M & al

Pediatr Nephrol.2020.doi:10.1007/s00467-019-04363-y.31696358

Human C-terminal CUBN variants associate with chronic proteinuria and normal renal function.

Bedin, M ; Boyer, O ; Servais, A ; Li, Y ; Villoing-Gaudé, L ; Tête, MJ & al

J Clin Invest.2020.doi:10.1172/JCI129937.31613795

Ifosfamide nephrotoxicity in adult patients.

Ensergueix, G ; Pallet, N ; Joly, D ; Levi, C ; Chauvet, S ; Trivin, C & al

Clin Kidney J.2020.doi:10.1093/ckj/sfz183.32897279

IMPact of the COVID-19 epidemic on the moRTALity of kidney transplant recipients and candidates in a French Nationwide registry sTudy (IMPORTANT).

Thaumat, O ; Legeai, C ; Anglicheau, D ; Couzi, L ; Blancho, G ; Hazzan, M & al

Kidney Int.2020.doi:10.1016/j.kint.2020.10.008.33137341

In situ multiplex immunofluorescence analysis of the inflammatory burden in kidney allograft rejection: A new tool to characterize the alloimmune response.

Calvani, J ; Terada, M ; Lesaffre, C ; Eloudzeri, M ; Lamarthée, B ; Burger, C & al

Am J Transplant.2020.doi:10.1111/ajt.15699.31715060

Increased incidence and unusual presentations of CMV disease in kidney transplant recipients after conversion to belatacept.

Chavarot, N ; Divard, G ; Scemla, A ; Amrouche, L ; Aubert, O ; Leruez-Ville, M & al

Am J Transplant.2020.doi:10.1111/ajt.16430.33283406

Infectious and digestive complications in glycogen storage disease type Ib: Study of a French cohort.

Wicker, C ; Roda, C ; Perry, A ; Arnoux, JB ; Brassier, A ; Castelle, M & al

Mol Genet Metab Rep.2020.doi:10.1016/j.ymgmr.2020.100581.32300528

IPNA clinical practice recommendations for the diagnosis and management of children with steroid-resistant nephrotic syndrome.

Trautmann, A ; Vivarelli, M ; Samuel, S ; Gipson, D ; Sinha, A ; Schaefer, F & al

*Pediatr Nephrol.*2020.doi:10.1007/s00467-020-04519-1.32382828

Kidney Transplant Outcomes in Patients With Adenine Phosphoribosyltransferase Deficiency.

Runolfsdottir, HL ; Palsson, R ; Agustsdottir, IMS ; Indridason, OS ; Li, J ; Dao, M & al

*Transplantation.*2020.doi:10.1097/TP.0000000000003088.31880754

Long-term outcome of methylmalonic aciduria after kidney, liver, or combined liver-kidney transplantation: The French experience.

Brassier, A ; Krug, P ; Lacaille, F ; Pontoizeau, C ; Krid, S ; Sissaoui, S & al

*J Inherit Metab Dis.*2020.doi:10.1002/jimd.12174.31525265

Low incidence of SARS-CoV-2, risk factors of mortality and the course of illness in the French national cohort of dialysis patients.

Couchoud, C ; Bayer, F ; Ayav, C ; Béchade, C ; Brunet, P ; Chantrel, F & al

*Kidney Int.*2020.doi:10.1016/j.kint.2020.07.042.32858081

Malaria, Collapsing Glomerulopathy, and Focal and Segmental Glomerulosclerosis.

Amoura, A ; Moktefi, A ; Halfon, M ; Karras, A ; Rafat, C ; Gibier, JB & al

*Clin J Am Soc Nephrol.*2020.doi:10.2215/CJN.00590120.32444394

Neonatal factors related to survival and intellectual and developmental outcome of patients with early-onset urea cycle disorders.

Pontoizeau, C ; Roda, C ; Arnoux, JB ; Vignolo-Diard, P ; Brassier, A ; Habarou, F & al

*Mol Genet Metab.*2020.doi:10.1016/j.ymgme.2020.03.003.32273051

Paternity in male kidney transplant recipients: a French national survey, the PATeRNAL study.

Boyer, A ; Lobbedez, T ; Ouethrani, M ; Thuillier Lecouf, A ; Bouvier, N ; Châtelet, V & al

*BMC Nephrol.*2020.doi:10.1186/s12882-020-02115-x.33198659

Pseudouridylation defect due to *DKC1* and *NOP10* mutations causes nephrotic syndrome with cataracts, hearing impairment, and enterocolitis.

Balogh, E ; Chandler, JC ; Varga, M ; Tahoun, M ; Menyhárd, DK ; Schay, G & al

*Proc Natl Acad Sci U S A.*2020.doi:10.1073/pnas.2002328117.32554502

Rationale and study protocol of ACQUIRE, a prospective, observational study measuring quality of life, treatment preference and treatment satisfaction of autosomal dominant polycystic kidney disease (ADPKD) patients in Europe.

Joly, D ; Quinn, J ; Mokiou, S ; O'Reilly, K ; Sánchez-Covisa, J ; Wang-Silvanto,

*J & al BMC Nephrol.*2020.doi:10.1186/s12882-020-01927-1.32709218

Red Blood Cell AE1/Band 3 Transports in Dominant Distal Renal Tubular Acidosis Patients.

Bertocchio, JP ; Genetet, S ; Da Costa, L ; Walsh, SB ; Knebelmann, B ; Galimand, J & al

*Kidney Int Rep.*2020.doi:10.1016/j.ekir.2019.12.020.32154456

Response to First Course of Intensified Immunosuppression in Genetically Stratified Steroid Resistant Nephrotic Syndrome.

Mason, AE ; Sen, ES ; Bierzynska, A ; Colby, E ; Afzal, M ; Dorval, G & al
Clin J Am Soc Nephrol.2020.doi:10.2215/CJN.13371019.32317330

Results in the ESPN/ERA-EDTA Registry suggest disparities in access to kidney transplantation but little variation in graft survival of children across Europe.

Bonthuis, M ; Cuperus, L ; Chesnaye, NC ; Akman, S ; Melgar, AA ; Baiko, S & al
Kidney Int.2020.doi:10.1016/j.kint.2020.03.029.32709294

Risk factors for hydroxychloroquine retinopathy in systemic lupus erythematosus: a case-control study with hydroxychloroquine blood-level analysis.

Lenfant, T ; Salah, S ; Leroux, G ; Bousquet, E ; Le Guern, V ; Chasset, F & al
Rheumatology (Oxford).2020.doi:10.1093/rheumatology/keaa157.32442312

School level of children carrying a HNF1B variant or a deletion.

Laliève, F ; Decramer, S ; Heidet, L ; Baudouin, V ; Lahoche, A ; Llanas, B & al
Eur J Hum Genet.2020.doi:10.1038/s41431-019-0490-6.31481685

Severe Acute Kidney Injury in Patients with COVID-19 and Acute Respiratory Distress Syndrome.

Chaibi, K ; Dao, M ; Pham, T ; Gumucio-Sanguino, VD ; Di Paolo, FA ; Pavot, A & al
Am J Respir Crit Care Med.2020.doi:10.1164/rccm.202005-1524LE.32866028

Severe neurological outcomes after very early bilateral nephrectomies in patients with autosomal recessive polycystic kidney disease (ARPKD).

Burgmaier, K ; Ariceta, G ; Bald, M ; Buescher, AK ; Burgmaier, M ; Erger, F & al
Sci Rep.2020.doi:10.1038/s41598-020-71956-1.32994492

Sodium retention by uPA-plasmin-ENaC in nephrotic syndrome-Authors reply.

Hinrichs, GR ; Weyer, K ; Friis, UG ; Svenningsen, P ; Lund, IK ; Nielsen, R & al
Acta Physiol (Oxf).2020.doi:10.1111/apha.13432.31845496

The \"salt and pepper\" pattern on renal ultrasound in a group of children with molecular-proven diagnosis of ciliopathy-related renal diseases.

Iorio, P ; Heidet, L ; Rutten, C ; Garcelon, N ; Audr ezet, MP ; Morini ere, V & al
Pediatr Nephrol.2020.doi:10.1007/s00467-020-04480-z.32040628

The ANTENATAL multicentre study to predict postnatal renal outcome in fetuses with posterior urethral valves: objectives and design.

Buffin-Meyer, B ; Klein, J ; van der Zanden, LFM ; Levtchenko, E ; Moulos, P ; Lounis, N & al
Clin Kidney J.2020.doi:10.1093/ckj/sfz107.32699617

The Case Atrophic kidney and ocular abnormalities.

Gendreau, S ; Servais, A ; Cohen, C
Kidney Int.2020.doi:10.1016/j.kint.2020.04.028.32998802

The genetics of steroid-resistant nephrotic syndrome in adults.

Boyer, O ; Dorval, G ; Servais,
Nephrol Dial A Transplant.2020.doi:10.1093/ndt/gfz257.32040156

The genetics of steroid-resistant nephrotic syndrome in children.

Dorval, G ; Servais, A ; Boyer, O

Nephrol Dial Transplant.2020.doi:10.1093/ndt/gfaa221.33180925

The use of fetal MRI for renal and urogenital tract anomalies.

Chalouhi, GE ; Millischer, AÉ ; Mahallati, H ; Siauve, N ; Melbourne, A ; Grevent, D & al

Prenat Diagn.2020.doi:10.1002/pd.5610.31736096

Transcriptional Changes in Kidney Allografts with Histology of Antibody-Mediated Rejection without Anti-HLA Donor-Specific Antibodies.

Callemeyn, J ; Lerut, E ; de Loor, H ; Arijs, I ; Thaunat, O ; Koenig, A & al

J Am Soc Nephrol.2020.doi:10.1681/ASN.2020030306.32641395

Treatment and long-term outcome in primary nephrogenic diabetes insipidus.

Lopez-Garcia, SC ; Downie, ML ; Kim, JS ; Boyer, O ; Walsh, SB ; Nijenhuis, T & al

Nephrol Dial Transplant.2020.doi:10.1093/ndt/gfaa243.33367818

Treatment impact on COVID-19 evolution in hemodialysis patients.

Chawki, S ; Buchard, A ; Sakhi, H ; Dardim, K ; El Sakhawi, K ; Chawki, M & al

Kidney Int.2020.doi:10.1016/j.kint.2020.07.010.32750459

Urinary Protein Biomarker Panel for the Diagnosis of Antibody-Mediated Rejection in Kidney Transplant Recipients.

Mertens, I ; Willems, H ; Van Loon, E ; Schildermans, K ; Boonen, K ; Baggerman, G & al

Kidney Int Rep.2020.doi:10.1016/j.ekir.2020.06.018.32954069

Usefulness of morphometric image analysis with Sirius Red to assess interstitial fibrosis after renal transplantation from uncontrolled circulatory death donors.

Dao, M ; Pouliquen, C ; Duquesne, A ; Posseme, K ; Mussini, C ; Durrbach, A & al

Sci Rep.2020.doi:10.1038/s41598-020-63749-3.32327683