

A slit-diaphragm-associated protein network for dynamic control of renal filtration

Kocylowski, MK ; Aypek, H ; Bildl, W ; Helmstädter, M ; Trachte, P ; Dumoulin, B & al
Nat Commun.2022.doi:10.1038/s41467-022-33748-1.36307401

Agonists of prostaglandin E₂ receptors as potential first in class treatment for nephronophthisis and related ciliopathies.

Garcia, H ; Serafin, AS ; Silbermann, F ; Porée, E ; Viau, A ; Mahaut, C & al
Proc Natl Acad Sci U S A.2022.doi:10.1073/pnas.2115960119.35482924

Allograft function and muscle mass evolution after kidney transplantation.

Gaillard, F ; Ould Rabah, M ; Garcelon, N ; Touam, M ; Neuraz, A ; Legendre, C & al
J Cachexia Sarcopenia Muscle.2022.doi:10.1002/jcsm.13066.36106518

Atypical severe early-onset nephrotic syndrome: Answers.

Berthaud, R ; Heidet, L ; Oualha, M ; Brat, R ; Talmud, D ; Garaix, F & al
Pediatr Nephrol.2022.doi:10.1007/s00467-022-05537-x.35507148

Bone mineral density and growth changes in patients with distal renal tubular acidosis after two-years treatment with a new alkalinizing drug (ADV7103).

Bertholet-Thomas, A ; Manso-Silván, MA ; Navas-Serrano, V ; Guittet, C ; Joukoff, S ; Bacchetta, J & al
Nefrologia (Engl Ed).2022.doi:10.1016/j.nefro.2022.02.012.36529656

Definition, diagnosis and clinical management of non-obstructive kidney dysplasia: a consensus statement by the ERKNet Working Group on Kidney Malformations.

Kohl, S ; Avni, FE ; Boor, P ; Capone, V ; Clapp, WL ; De Palma, D & al
Nephrol Dial Transplant.2022.doi:10.1093/ndt/gfac207.35772019

Genetic testing in the diagnosis of chronic kidney disease: recommendations for clinical practice.

Knoers, N ; Antignac, C ; Bergmann, C ; Dahan, K ; Giglio, S ; Heidet, L & al
Nephrol Dial Transplant.2022.doi:10.1093/ndt/gfab218.34264297

Improved growth of a child with primary distal renal tubular acidosis after switching from a conventional alkalinizing treatment to a new prolonged-release formulation containing potassium citrate and potassium bicarbonate: lessons for the clinical nephrologist.

Boyer, O ; Manso-Silván, MA ; Joukoff, S ; Berthaud, R ; Guittet, C
J Nephrol.2022.doi:10.1007/s40620-022-01306-z.35357683

Managing the Nutritional Requirements of the Pediatric End-Stage Kidney Disease Graduate.

Nelms, CL ; Shroff, R ; Boyer, O ; Topaloglu, R
Adv Chronic Kidney Dis.2022.doi:10.1053/j.ackd.2022.04.004.36084975

Multicentric Carpotarsal Osteolysis Syndrome Associated Nephropathy: Novel Variants of *MAFB* Gene and Literature Review

Drovandi, S ; Lugani, F ; Boyer, O ; La Porta, E ; Giordano, P ; Hummel, A & al
J Clin Med.2022.doi:10.3390/jcm11154423.35956038

National survey of prevention and management of CMV infection in pediatric kidney transplantation in comparison to clinical practice guidelines.

Madden, I ; Baudouin, V ; Charbit, M ; Ranchin, B ; Roussey, G ; Novo, R & al
Front Pediatr.2022.doi:10.3389/fped.2022.1057352.36589153

Oral Coenzyme Q10 supplementation leads to better preservation of kidney function in steroid-resistant nephrotic syndrome due to primary Coenzyme Q10 deficiency.

Drovandi, S ; Lipska-Ziętkiewicz, BS ; Ozaltin, F ; Emma, F ; Gulhan, B ; Boyer, O & al
Kidney Int.2022.doi:10.1016/j.kint.2022.04.029.35643375

Parathyroid hormone and phosphate homeostasis in patients with Bartter and Gitelman syndrome: an international cross-sectional study.

Verploegen, MFA ; Vargas-Poussou, R ; Walsh, SB ; Alpay, H ; Amouzegar, A ; Ariceta, G & al
Nephrol Dial Transplant.2022.doi:10.1093/ndt/gfac029.35137195

Preemptive Kidney Transplantation Is Associated With Transplantation Outcomes in Children: Results From the French Kidney Replacement Therapy Registry.

Prezelin-Reydit, M ; Madden, I ; Macher, MA ; Salomon, R ; Sellier-Leclerc, AL ; Roussey, G & al
Transplantation.2022.doi:10.1097/TP.0000000000003757.33821599

Refining Kidney Survival in 383 Genetically Characterized Patients With Nephronophthisis.

König, JC ; Karsay, R ; Gerß, J ; Schlingmann, KP ; Dahmer-Heath, M ; Telgmann, AK & al
Kidney Int Rep.2022.doi:10.1016/j.ekir.2022.05.035.36090483

Renal outcome and plasma methylmalonic acid levels after isolated or combined liver or kidney transplantation in patients with methylmalonic acidemia: A multicenter analysis.

Dello Strologo, L ; Spada, M ; Vici, CD ; Atti, MCD ; Rheault, M ; Bjerre, AK & al
Mol Genet Metab.2022.doi:10.1016/j.ymgme.2022.09.010.36240580

Soluble CD89 is a critical factor for mesangial proliferation in childhood IgA nephropathy.

Cambier, A ; Gleeson, PJ ; Abbad, L ; Canesi, F ; da Silva, J ; Bex-Coudrat, J & al
Kidney Int.2022.doi:10.1016/j.kint.2021.09.023.34756952

Targeted next-generation sequencing in a large series of fetuses with severe renal diseases.

Jordan, P ; Dorval, G ; Arrondel, C ; Morinière, V ; Tournant, C ; Audrezet, MP & al
Hum Mutat.2022.doi:10.1002/humu.24324.35005812

The renal inflammatory network of nephronophthisis.

Quatredeniens, M ; Bienaimé, F ; Ferri, G ; Isnard, P ; Porée, E ; Billot, K & al
Hum Mol Genet.2022.doi:10.1093/hmg/ddac014.35043953

The sexual dimorphism of kidney growth in mice and humans.

Laouari, D ; Vergnaud, P ; Hirose, T ; Zaidan, M ; Rabant, M ; Nguyen, C & al
Kidney Int.2022.doi:10.1016/j.kint.2022.02.027.35337891

To biopsy or not to biopsy: Henoch-Schönlein nephritis in children, a 5-year follow-up study.

Avramescu, M ; Lahoche, A ; Hogan, J ; Salomon, R ; Roussey, G ; Bacchetta, J & al

Pediatr Nephrol.2022.doi:10.1007/s00467-021-05086-9.34224002

Treatment with stiripentol in a patient with primary hyperoxaluria type 1: lesson for the clinical nephrologist.

Violier, P ; Boyer, O ; Berthaud, R ; Dorval, G

J Nephrol.2022.doi:10.1007/s40620-021-01116-9.34283403

Valganciclovir is not associated with decreased EBV infection rate in pediatric kidney transplantation.

Cheyssac, E ; Savadogo, H ; Lagoutte, N ; Baudouin, V ; Charbit, M ; Novo, R & al

Front Pediatr.2022.doi:10.3389/fped.2022.1085101.36704127

Variation of the clinical spectrum and genotype-phenotype associations in Coenzyme Q10 deficiency associated glomerulopathy.

Drovandi, S ; Lipska-Ziętkiewicz, BS ; Ozaltin, F ; Emma, F ; Gulhan, B ; Boyer, O & al

Kidney Int.2022.doi:10.1016/j.kint.2022.02.040.35483523